What is Claimed is:

Sub 1.

A display device comprising:

a rack;

a first display panel mounted to the rack; and

a second display panel overlying a portion of the first display panel, whereby at least a portion of the first display panel extends beyond an edge of the second display panel.

2. The display device of Claim 1, wherein the second display panel has at least one aspect differing from a corresponding aspect of the first display panel.

3. The display device of Claim 2, wherein the second display panel has at least one dimension that is smaller than a corresponding dimension of the first display pane.

Subaly

- 4. The display device of Claim 2, wherein the second display panel has at least one opening through which a portion of the first display panel is visible.
- 5. The display device of Claim 2, wherein the second display panel has a different shape than the first display panel.

- 6. The display device of Claim 1, wherein the first display panel is wider than the second display panel.
- 7. The display device of Claim 6, wherein the first display panel is also taller than the second display panel.
- 8. The display device of Claim 1, wherein the first and second display panels are pivotally mounted to the rack.
- 9. The display device of Claim 1, wherein the rack further comprises at least one fixed display surface.
- 10. The display device of Claim 1, comprising at least three display panels, each of the display panels having at least one dimension greater than a corresponding dimension of any overlying panels.
- 11. The display device of Claim 1, comprising at least two arrays of display panels, each array comprising at least two display panels.
- 12. A set of display panels for use in a display device, said set comprising at least two display panels, wherein a second display panel of the set can overlie a portion of a first display panel of the set while leaving another portion of the first display panel uncovered.



- 13. The set of display panels of Claim 12, wherein each display panel comprises a coupling for pivotal attachment to a display rack.
- The set of display panels of Claim 12, wherein the second display 14. panel has at least one dimension that is smaller than a corresponding dimension of the first display panel.
- The set of display panels of Claim 14, wherein the first display panel 15. is wider than the second display panel.
- 16. The set of display pariels of Claim 15, wherein the first display panel is also taller than the second display panel.
- The set of display panels of Claim 12, wherein the second display 17. panel has at least one opening through which a portion of the first display panel is visible.
- 18. The set of display panels of Claim 12, wherein the second display panel has a different shape than the first display panel.





19. A display method complising:

providing a first display panel having a first display surface; and providing a second display panel having a second display surface, the second display panel overlying the first display panel but leaving a portion of the first display surface visible.



The method of Claim 19, further comprising pivotally mounting the 20. first and second display panels to a display rack.